AUTHOR INDEX

(D) Denotes Demonstration, (T) Title only, (C) Communication, (PC) Poster Communication

AARONSON P.I., BOLTON T.B., LANG R.J. & MACKENZIE I. Calcium currents in single isolated smooth muscle cells from the rabbit ear artery in normal-calcium and high-barium solutions. 57

AGUAYO Luis G. & WEIGHT Forrest F. Characterization of membrane currents in dissociated adult rat pineal cells. 397

ARMSTRONG D.M. Review Lecture. The supraspinal control of mammalian locomotion. 1

BALLANTYNE D., JORDAN D., SPYER K.M. & WOOD L.M. Synaptic rhythm of caudal medullary expiratory neurones during stimulation of the hypothalamic defence area of the cat. 527

BARR D.B., DUNCAN J.A., KIERNAN J.A., SOPER B.D. & TEPPERMAN B.L. Binding and biological actions of prostaglandin E_2 and I_2 in cells isolated from rabbit gastric mucosa. 39

BELARDINELLI L., GILES W.R. & WEST A. Ionic mechanisms of adenosine actions in pacemaker cells from rabbit heart. 615

BELMONTE C., GALLEGO R. & MORALES A. Membrane properties of primary sensory neurones of the cat after peripheral reinnervation. 219

BEUCKELMANN D.J. & WIER W.G. Mechanism of release of calcium from sarcoplasmic reticulum of guinea-pig cardiac cells. 233

BIBBY David C. & GRIMBLE Robert F. Effects of urethane, ambient temperature and injection route on rat body temperature and metabolism due to endotoxins. 547

BOBAK Phyllis, BODIS-WOLLNER Ivan & MARX Marcy S. Cortical contrast gain control in human spatial vision. 421

BODIS-WOLLNER Ivan *see* BOBAK Phyllis, BODIS-WOLLNER Ivan & MARX Marcy S. Cortical contrast gain control in human spatial vision. 421

BOLTON T.B. *see* AARONSON P.I., BOLTON T.B., LANG R.J. & MACKENZIE I. Calcium currents in single isolated smooth muscle cells from the rabbit ear artery in normal-calcium and high-barium solutions. 57

BOUCHER R.C., COTTON C.U., GATZY J.T., KNOWLES M.R. & YANKASKAS J.R. Evidence for reduced Cl^- and increased Na^+ permeability in cystic fibrosis human primary cell cultures. 77

BRAYDEN D.J., CUTHBERT A.W. & LEE C.M. Human eccrine sweat gland epithelial cultures express ductal characteristics. 657

CLARK R.B., GILES W.R. & IMAIZUMI Y. Properties of the transient outward current in rabbit atrial cells. 147

CLOUGH Geraldine & MICHEL C.C. Quantitative comparisons of hydraulic permeability and endothelial intercellular cleft dimensions in single frog capillaries. 563

CONWAY Bernard A., HULTBORN Hans, KIEHN Ole & MINTZ Isabelle Plateau potentials in α-motoneurones induced by intravenous injection of L-DOPA and clonidine in the spinal cat. 369

COTTON C.U. *see* BOUCHER R.C., COTTON C.U., GATZY J.T., KNOWLES M.R. & YANKASKAS J.R. Evidence for reduced Cl^- and increased Na^+ permeability in cystic fibrosis human primary cell cultures. 77

CRONE Clarissa, HULTBORN Hans, KIEHN Ole, MAZIERES Leonor & WISTRÖM Holger Maintained changes in motoneuronal excitability by short-lasting synaptic inputs in the decerebrate cat. 321

CUTHBERT A.W. *see* BRAYDEN D.J., CUTHBERT A.W. & LEE C.M. Human eccrine sweat gland epithelial cultures express ductal characteristics. 657

DIFRANCESCO Dario & TROMBA Cinzia Inhibition of the hyperpolarization-activated current (i_f) induced by acetylcholine in rabbit sino-atrial node myocytes. 477

DIFRANCESCO Dario & TROMBA Cinzia Muscarinic control of the hyperpolarization-activated current (i_f) in rabbit sino-atrial node myocytes. 493

DUNCAN J.A. *see* BARR D.B., DUNCAN J.A., KIERNAN J.A., SOPER B.D. & TEPPERMAN B.L. Binding and biological actions of prostaglandin E_2 and I_2 in cells isolated from rabbit gastric mucosa. 39

EGAN T.M., NOBLE D., NOBLE S.J., POWELL T., TWIST V.W. & YAMAOKA K. Erratum: Journal of Physiology **400** (1988) 785

FEDIDA D., NOBLE D. & SPINDLER A.J. Use-dependent reduction and facilitation of Ca^{2+} current in guinea-pig myocytes. 439

FEDIDA D., NOBLE D. & SPINDLER A.J. Mechanism of the use dependence of Ca^{2+} current in guinea-pig myocytes. 461

FERN R., HARRISON P.J. & RIDDELL J.S. The ascending projection of interneurones activated by group I muscle afferent fibres of the cat hindlimb. 275

FINK George, ROBINSON Iain C.A.F. & TANNAHILL Lesley A. Erratum: Journal of Physiology **401** (1988) 785

FUJISE Hiroshi & LAUF Peter K. Na^+–K^+ pump activities of high- and low-potassium sheep red cells with internal magnesium and calcium altered by A23187. 605

GALLEGO R. *see* BELMONTE C., GALLEGO R. & MORALES A. Membrane properties of primary sensory neurones of the cat after peripheral reinnervation. 219

GARDNER T.D. & POTTER Erica K. Dependence of non-adrenergic inhibition of cardiac vagal action on peak frequency of sympathetic stimulation in the dog. 115

GATZY J.T. *see* BOUCHER R.C., COTTON C.U., GATZY J.T., KNOWLES M.R. & YANKASKAS J.R. Evidence for reduced Cl^- and increased Na^+ permeability in cystic fibrosis human primary cell cultures. 77

GILES W.R. & IMAIZUMI Y. Comparison of potassium currents in rabbits atrial and ventricular cells. 123

GILES W.R. *see* CLARK R.B., GILES W.R. & IMAIZUMI Y. Properties of the transient outward current in rabbit atrial cells. 147

GILES W.R. *see* BELARDINELLI L., GILES W.R. & WEST A. Ionic mechanisms of adenosine actions in pacemaker cells from rabbit heart. 615

GILLESPIE J.I. & GREENWELL J.R. Changes in intracellular pH and pH regulating mechanisms in somitic cells of the early chick embryo: a study using fluorescent pH-sensitive dye. 385

GREENWELL J.R. *see* GILLESPIE J.I. & GREENWELL J.R. Changes in intracellular pH and pH regulating mechanisms in somitic cells of the early chick embryo: a study using fluorescent pH-sensitive dye. 385

GRIMBLE Robert F. *see* BIBBY David C. & GRIMBLE Robert F. Effects of urethane, ambient temperature and injection route on rat body temperature and metabolism due to endotoxins. 547

GROSS Robert A. & MACDONALD Robert L. Differential actions of pentobarbitone on calcium current components of mouse sensory neurones in culture. 187

HARRISON P.J. *see* FERN R., HARRISON P.J. & RIDDELL J.S. The ascending projection of interneurones activated by group I muscle afferent fibres of the cat hindlimb. 275

HOUNSGAARD Jørn, HULTBORN Hans, JESPERSEN Bo & KIEHN Ole Bistability of α-motoneurones in the decerebrate cat and in the acute spinal cat after intravenous 5-hydroxytryptophan. 345

HULTBORN Hans *see* CRONE Clarissa, HULTBORN Hans, KIEHN Ole, MAZIERES Leonor & WISTRÖM Holger Maintained changes in motoneuronal excitability by short-lasting synaptic inputs in the decerebrate cat. 321

HULTBORN Hans *see* HOUNSGAARD Jørn, HULTBORN Hans, JESPERSEN Bo & KIEHN Ole Bistability of α-motoneurones in the decerebrate cat and in the acute spinal cat after intravenous 5-hydroxytryptophan. 345

HULTBORN Hans *see* CONWAY Bernard A., HULTBORN Hans, KIEHN Ole & MINTZ Isabelle Plateau potentials in α-motoneurones induced by intravenous injection of L-DOPA and clonidine in the spinal cat. 369

IGUSA Yukio Adenosine 5′-triphosphate activates acetylcholine receptor channels in cultured *Xenopus* myotomal muscle cells. 169

IMAIZUMI Y. *see* GILES W.R. & IMAIZUMI Y. Comparison of potassium currents in rabbits atrial and ventricular cells. 123

IMAIZUMI Y. *see* CLARK R.B., GILES W.R. & IMAIZUMI Y. Properties of the transient outward current in rabbit atrial cells. 147

JARAMILLO Fernán & SCHUETZE Stephen M. Erratum: Journal of Physiology **396** (1988) 785

JESPERSEN Bo *see* HOUNSGAARD Jørn, HULTBORN Hans, JESPERSEN Bo & KIEHN Ole Bistability of α-motoneurones in the decerebrate cat and in the acute spinal cat after intravenous 5-hydroxytryptophan. 345

JORDAN D. *see* BALLANTYNE D., JORDAN D., SPYER K.M. & WOOD L.M. Synaptic rhythm of caudal medullary expiratory neurones during stimulation of the hypothalamic defence area of the cat. 527

KIEHN Ole *see* CRONE Clarissa, HULTBORN Hans, KIEHN Ole, MAZIERES Leonor & WISTRÖM Holger Maintained changes in motoneuronal excitability by short-lasting synaptic inputs in the decerebrate cat. 321

KIEHN Ole *see* HOUNSGAARD Jørn, HULTBORN Hans, JESPERSEN Bo & KIEHN Ole Bistability of α-motoneurones in the decerebrate cat and in the acute spinal cat after intravenous 5-hydroxytryptophan. 345

KIEHN Ole *see* CONWAY Bernard A., HULTBORN Hans, KIEHN Ole & MINTZ Isabelle Plateau potentials in α-motoneurones induced by intravenous injection of L-DOPA and clonidine in the spinal cat. 369

KIERNAN J.A. *see* BARR D.B., DUNCAN J.A., KIERNAN J.A., SOPER B.D. & TEPPERMAN B.L. Binding and biological actions of prostaglandin E_2 and I_2 in cells isolated from rabbit gastric mucosa. 39

KNOWLES M.R. *see* BOUCHER R.C., COTTON C.U., GATZY J.T., KNOWLES M.R. & YANKASKAS J.R. Evidence for reduced Cl^- and increased Na^+ permeability in cystic fibrosis human primary cell cultures. 77

LANG R.J. *see* AARONSON P.I., BOLTON T.B., LANG R.J. & MACKENZIE I. Calcium currents in single isolated smooth muscle cells from the rabbit ear artery in normal-calcium and high-barium solutions. 57

LAUF Peter K. *see* FUJISE Hiroshi & LAUF Peter K. Na^+–K^+ pump activities of high- and low-potassium sheep red cells with internal magnesium and calcium altered by A23187. 605

LEE C.M. *see* BRAYDEN D.J., CUTHBERT A.W. & LEE C.M. Human eccrine sweat gland epithelial cultures express ductal characteristics. 657

MACDONALD Robert L. *see* GROSS Robert A. & MACDONALD Robert L. Differential actions of pentobarbitone on calcium current components of mouse sensory neurones in culture. 187

MCGEOWN J.G., MCHALE N.G. & THORNBURY K.D. Arterial pulsation and lymph formation in an isolated sheep hindlimb preparation. 595

MCHALE N.G. *see* MCGEOWN J.G., MCHALE N.G. & THORNBURY K.D. Arterial pulsation and lymph formation in an isolated sheep hindlimb preparation. 595

MACKENZIE I. *see* AARONSON P.I., BOLTON T.B., LANG R.J. & MACKENZIE I. Calcium currents in single isolated smooth muscle cells from the rabbit ear artery in normal-calcium and high-barium solutions. 57

MALMGREN K. & PIERROT-DESEILLIGNY E. Evidence for non-monosynpatic Ia excitation of human wrist flexor motoneurones, possibly via propriospinal neurones. 747

MALMGREN K. & PIERROT-DESEILLIGNY E. Inhibition of neurones transmitting non-monosynaptic Ia excitation to human wrist flexor motoneurones. 765

MARX Marcy S. *see* BOBAK Phyllis, BODIS-WOLLNER Ivan & MARX Marcy S. Cortical contrast gain control in human spatial vision. 421

MASON W.T. & RAWLINGS S.R. Whole-cell recordings of ionic currents in bovine somatotrophs and their involvement in growth hormone secretion. 577

MASSEY Stephen C. & MILLER Robert F. Glutamate receptors of ganglion cells in the rabbit retina: evidence for glutamate as a bipolar cell transmitter. 635

MAZIERES Leonor *see* CRONE Clarissa, HULTBORN Hans, KIEHN Ole, MAZIERES Leonor & WISTRÖM Holger Maintained changes in motoneuronal excitability by short-lasting synaptic inputs in the decerebrate cat. 321

MICHEL C.C. *see* CLOUGH Geraldine & MICHEL C.C. Quantitative comparisons of hydraulic permeability and endothelial intercellular cleft dimensions in single frog capillaries. 563

MILLER Robert F. *see* MASSEY Stephen C. & MILLER Robert F. Glutamate receptors of ganglion cells in the rabbit retina: evidence for glutamate as a bipolar cell transmitter. 635

MINTZ Isabelle *see* CONWAY Bernard A., HULTBORN Hans, KIEHN Ole & MINTZ Isabelle Plateau potentials in α-motoneurones induced by intravenous injection of L-DOPA and clonidine in the spinal cat. 369

MIYAMOTO Takenori, OKADA Yukio & SATO Toshihide Ionic basis of receptor potential of frog taste cells induced by acid stimuli. 699

MORALES A. *see* BELMONTE C., GALLEGO R. & MORALES A. Membrane properties of primary sensory neurones of the cat after peripheral reinnervation. 219

MORIMOTO Akio, MURAKAMI Naotoshi & WATANABE Tatsuo Effect of prostaglandin E_2 on thermoresponsive neurones in the preoptic and ventromedial hypothalamic regions of rats. 713

MURAKAMI Naotoshi *see* MORIMOTO Akio, MURAKAMI Naotoshi & WATANABE Tatsuo Effect of

prostaglandin E_2 on thermoresponsive neurones in the preoptic and ventromedial hypothalamic regions of rats. 713

NOBLE D. *see* FEDIDA D., NOBLE D. & SPINDLER A.J. Use-dependent reduction and facilitation of Ca^{2+} current in guinea-pig myocytes. 439

NOBLE D. *see* FEDIDA D., NOBLE D. & SPINDLER A.J. Mechanism of the use dependence of Ca^{2+} current in guinea-pig myocytes. 461

NOBLE D. *see* EGAN T.M., NOBLE D., NOBLE S.J., POWELL T., TWIST V.W. & YAMAOKA K. Erratum: Journal of Physiology **400** (1988) 785

NOBLE S.J. *see* EGAN T.M., NOBLE D., NOBLE S.J., POWELL T., TWIST V.W. & YAMAOKA K. Erratum: Journal of Physiology **400** (1988) 785

OKADA Yukio *see* MIYAMOTO Takenori, OKADA Yukio & SATO Toshihide Ionic basis of receptor potential of frog taste cells induced by acid stimuli. 699

PIERROT-DESEILLIGNY E. *see* MALMGREN K. & PIERROT-DESEILLIGNY E. Evidence for non-monosynpatic Ia excitation of human wrist flexor motoneurones, possibly via propriospinal neurones. 747

PIERROT-DESEILLIGNY E. *see* MALMGREN K. & PIERROT-DESEILLIGNY E. Inhibition of neurones transmitting non-monosynaptic Ia excitation to human wrist flexor motoneurones. 765

POTTER Erica K. *see* GARDNER T.D. & POTTER Erica K. Dependence of non-adrenergic inhibition of cardiac vagal action on peak frequency of sympathetic stimulation in the dog. 115

POWELL T. *see* EGAN T.M., NOBLE D., NOBLE S.J., POWELL T., TWIST V.W. & YAMAOKA K. Erratum: Journal of Physiology **400** (1988) 785

QUAYLE J.M., STANDEN N.B. & STANFIELD P.R. The voltage-dependent block of ATP-sensitive potassium channels of frog skeletal muscle by caesium and barium ions. 677

RAWLINGS S.R. *see* MASON W.T. & RAWLINGS S.R. Whole-cell recordings of ionic currents in bovine somatotrophs and their involvement in growth hormone secretion. 577

RIDDELL J.S. *see* FERN R., HARRISON P.J. & RIDDELL J.S. The ascending projection of interneurones activated by group I muscle afferent fibres of the cat hindlimb. 275

ROBINSON Iain C.A.F. *see* FINK George, ROBINSON Iain C.A.F. & TANNAHILL Lesley A. Erratum: Journal of Physiology **401** (1988) 785

SAGA Kenji, SATO Fusako & SATO Kenzo K^+ efflux from the monkey eccrine secretory coil during the transient of stimulation with agonists. 205

SATO Fusako *see* SAGA Kenji, SATO Fusako & SATO Kenzo K^+ efflux from the monkey eccrine secretory coil during the transient of stimulation with agonists. 205

SATO Kenzo *see* SAGA Kenji, SATO Fusako & SATO Kenzo K^+ efflux from the monkey eccrine secretory coil during the transient of stimulation with agonists. 205

SATO Toshihide *see* MIYAMOTO Takenori, OKADA Yukio & SATO Toshihide Ionic basis of receptor potential of frog taste cells induced by acid stimuli. 699

SCHNEIDER Martin F. & SIMON Bruce J. Inactivation of calcium release from the sarcoplasmic reticulum in frog skeletal muscle. 727

SCHUETZE Stephen M. *see* JARAMILLO Fernán & SCHUETZE Stephen M. Erratum: Journal of Physiology **396** (1988) 785

SIMON Bruce J. *see* SCHNEIDER Martin F. & SIMON Bruce J. Inactivation of calcium release from the sarcoplasmic reticulum in frog skeletal muscle. 727

SIMONS T.J.B. Active transport of lead by the calcium pump in human red cell ghosts. 105

SOPER B.D. *see* BARR D.B., DUNCAN J.A., KIERNAN J.A., SOPER B.D. & TEPPERMAN B.L. Binding and biological actions of prostaglandin E_2 and I_2 in cells isolated from rabbit gastric mucosa. 39

SPINDLER A.J. *see* FEDIDA D., NOBLE D. & SPINDLER A.J. Use-dependent reduction and facilitation of Ca^{2+} current in guinea-pig myocytes. 439

SPINDLER A.J. *see* FEDIDA D., NOBLE D. & SPINDLER A.J. Mechanism of the use dependence of Ca^{2+} current in guinea-pig myocytes. 461

SPYER K.M. *see* BALLANTYNE D., JORDAN D., SPYER K.M. & WOOD L.M. Synaptic rhythm of caudal medullary expiratory neurones during stimulation of the hypothalamic defence area of the cat. 527

STANDEN N.B. *see* QUAYLE J.M., STANDEN N.B. & STANFIELD P.R. The voltage-dependent block of ATP-sensitive potassium channels of frog skeletal muscle by caesium and barium ions. 677

STANFIELD P.R. *see* QUAYLE J.M., STANDEN N.B. & STANFIELD P.R. The voltage-dependent block of ATP-sensitive potassium channels of frog skeletal muscle by caesium and barium ions. 677

TANNAHILL Lesley A. *see* FINK George, ROBINSON Iain C.A.F. & TANNAHILL Lesley A. Erratum: Journal of Physiology **401** (1988) 785

TEPPERMAN B.L. *see* BARR D.B., DUNCAN J.A., KIERNAN J.A., SOPER B.D. & TEPPERMAN B.L. Binding and biological actions of prostaglandin E_2 and I_2 in cells isolated from rabbit gastric mucosa. 39

THORNBURY K.D. *see* McGEOWN J.G., McHALE N.G. & THORNBURY K.D. Arterial pulsation and lymph formation in an isolated sheep hindlimb preparation. 595

TROMBA Cinzia *see* DiFRANCESCO Dario & TROMBA Cinzia Inhibition of the hyperpolarization-activated current (i_f) induced by acetylcholine in rabbit sino-atrial node myocytes. 477

TROMBA Cinzia *see* DiFRANCESCO Dario & TROMBA Cinzia Muscarinic control of the hyperpolarization-activated current (i_f) in rabbit sino-atrial node myocytes. 493

TWIST V.W. *see* EGAN T.M., NOBLE D., NOBLE S.J., POWELL T., TWIST V.W. & YAMAOKA K. Erratum: Journal of Physiology **400** (1988) 785

VICTOR Jonathan D. The dynamics of the cat retinal Y cell subunit. 289

WALLØE Lars & WESCHE Jarlis Time course and magnitude of blood flow changes in the human quadriceps muscles during and following rhythmic exercise. 257

WATANABE Tatsuo *see* MORIMOTO Akio, MURAKAMI Naotoshi & WATANABE Tatsuo Effect of prostaglandin E_2 on thermoresponsive neurones in the preoptic and ventromedial hypothalamic regions of rats. 713

WEIGHT Forrest F. *see* AGUAYO Luis G. & WEIGHT Forrest F. Characterization of membrane currents in dissociated adult rat pineal cells. 397

WESCHE Jarlis *see* WALLØE Lars & WESCHE Jarlis Time course and magnitude of blood flow changes in the human quadriceps muscles during and following rhythmic exercise. 257

WEST A. *see* BELARDINELLI L., GILES W.R. & WEST A. Ionic mechanisms of adenosine actions in pacemaker cells from rabbit heart. 615

WHEELER Caroline P.D. & YUDILEVICH D.L. Transport and metabolism of adenosine in the perfused guinea-pig placenta. 511

WIER W.G. *see* BEUCKELMANN D.J. & WIER W.G. Mechanism of release of calcium from sarcoplasmic reticulum of guinea-pig cardiac cells. 233

WISTRÖM Holger *see* CRONE Clarissa, HULTBORN Hans, KIEHN Ole, MAZIERES Leonor & WISTRÖM Holger Maintained changes in motoneuronal excitability by short-lasting synaptic inputs in the decerebrate cat. 321

WOOD L.M. *see* BALLANTYNE D., JORDAN D., SPYER K.M. & WOOD L.M. Synaptic rhythm of caudal medullary expiratory neurones during stimulation of the hypothalamic defence area of the cat. 527

YAMAOKA K. *see* EGAN T.M., NOBLE D., NOBLE S.J., POWELL T., TWIST V.W. & YAMAOKA K. Erratum: Journal of Physiology **400** (1988) 785

YANKASKAS J.R. *see* BOUCHER R.C., COTTON C.U., GATZY J.T., KNOWLES M.R. & YANKASKAS J.R. Evidence for reduced Cl^- and increased Na^+ permeability in cystic fibrosis human primary cell cultures. 77

YUDILEVICH D.L. *see* WHEELER Caroline P.D. & YUDILEVICH D.L. Transport and metabolism of adenosine in the perfused guinea-pig placenta. 511

CONTENTS OF VOLUME 405

November 1988

ARMSTRONG D.M. Review Lecture. The supraspinal control of mammalian locomotion. 1

BARR D.B., DUNCAN J.A., KIERNAN J.A., SOPER B.D. & TEPPERMAN B.L. Binding and biological actions of prostaglandin E_2 and I_2 in cells isolated from rabbit gastric mucosa. 39

AARONSON P.I., BOLTON T.B., LANG R.J. & MACKENZIE I. Calcium currents in single isolated smooth muscle cells from the rabbit ear artery in normal-calcium and high-barium solutions. 57

BOUCHER R.C., COTTON C.U., GATZY J.T., KNOWLES M.R. & YANKASKAS J.R. Evidence for reduced Cl^- and increased Na^+ permeability in cystic fibrosis human primary cell cultures. 77

SIMONS T.J.B. Active transport of lead by the calcium pump in human red cell ghosts. 105

GARDNER T.D. & POTTER Erica K. Dependence of non-adrenergic inhibition of cardiac vagal action on peak frequency of sympathetic stimulation in the dog. 115

GILES W.R. & IMAIZUMI Y. Comparison of potassium currents in rabbits atrial and ventricular cells. 123

CLARK R.B., GILES W.R. & IMAIZUMI Y. Properties of the transient outward current in rabbit atrial cells. 147

IGUSA Yukio Adenosine 5′-triphosphate activates acetylcholine receptor channels in cultured *Xenopus* myotomal muscle cells. 169

GROSS Robert A. & MACDONALD Robert L. Differential actions of pentobarbitone on calcium current components of mouse sensory neurones in culture. 187

SAGA Kenji, SATO Fusako & SATO Kenzo K^+ efflux from the monkey eccrine secretory coil during the transient of stimulation with agonists. 205

BELMONTE C., GALLEGO R. & MORALES A. Membrane properties of primary sensory neurones of the cat after peripheral reinnervation. 219

BEUCKELMANN D.J. & WIER W.G. Mechanism of release of calcium from sarcoplasmic reticulum of guinea-pig cardiac cells. 233

WALLØE Lars & WESCHE Jarlis Time course and magnitude of blood flow changes in the human quadriceps muscles during and following rhythmic exercise. 257

FERN R., HARRISON P.J. & RIDDELL J.S. The ascending projection of interneurones activated by group I muscle afferent fibres of the cat hindlimb. 275

VICTOR Jonathan D. The dynamics of the cat retinal Y cell subunit. 289

CRONE Clarissa, HULTBORN Hans, KIEHN Ole, MAZIERES Leonor & WISTRÖM Holger Maintained changes in motoneuronal excitability by short-lasting synaptic inputs in the decerebrate cat. 321

HOUNSGAARD Jørn, HULTBORN Hans, JESPERSEN Bo & KIEHN Ole Bistability of α-motoneurones in the decerebrate cat and in the acute spinal cat after intravenous 5-hydroxytryptophan. 345

CONWAY Bernard A., HULTBORN Hans, KIEHN Ole & MINTZ Isabelle Plateau potentials in α-motoneurones induced by intravenous injection of L-DOPA and clonidine in the spinal cat. 369

GILLESPIE J.I. & GREENWELL J.R. Changes in intracellular pH and pH regulating mechanisms in somitic cells of the early chick embryo: a study using fluorescent pH-sensitive dye. 385

AGUAYO Luis G. & WEIGHT Forrest F. Characterization of membrane currents in dissociated adult rat pineal cells. 397

BOBAK Phyllis, BODIS-WOLLNER Ivan & MARX Marcy S. Cortical contrast gain control in human spatial vision. 421

FEDIDA D., NOBLE D. & SPINDLER A.J. Use-dependent reduction and facilitation of Ca^{2+} current in guinea-pig myocytes. 439

FEDIDA D., NOBLE D. & SPINDLER A.J. Mechanism of the use dependence of Ca^{2+} current in guinea-pig myocytes. 461

DIFRANCESCO Dario & TROMBA Cinzia Inhibition of the hyperpolarization-activated current (i_f) induced by acetylcholine in rabbit sino-atrial node myocytes. 477

DIFRANCESCO Dario & TROMBA Cinzia Muscarinic control of the hyperpolarization-activated current (i_f) in rabbit sino-atrial node myocytes. 493

WHEELER Caroline P.D. & YUDILEVICH D.L. Transport and metabolism of adenosine in the perfused guinea-pig placenta. 511

BALLANTYNE D., JORDAN D., SPYER K.M. & WOOD L.M. Synaptic rhythm of caudal medullary expiratory neurones during stimulation of the hypothalamic defence area of the cat. 527

BIBBY David C. & GRIMBLE Robert F. Effects of urethane, ambient temperature and injection route on rat body temperature and metabolism due to endotoxins. 547

CLOUGH Geraldine & MICHEL C.C. Quantitative comparisons of hydraulic permeability and endothelial intercellular cleft dimensions in single frog capillaries. 563

MASON W.T. & RAWLINGS S.R. Whole-cell recordings of ionic currents in bovine somatotrophs and their involvement in growth hormone secretion. 577

MCGEOWN J.G., MCHALE N.G. & THORNBURY K.D. Arterial pulsation and lymph formation in an isolated sheep hindlimb preparation. 595

FUJISE Hiroshi & LAUF Peter K. Na^+–K^+ pump activities of high- and low-potassium sheep red cells with internal magnesium and calcium altered by A23187. 605

BELARDINELLI L., GILES W.R. & WEST A. Ionic mechanisms of adenosine actions in pacemaker cells from rabbit heart. 615

MASSEY Stephen C. & MILLER Robert F. Glutamate receptors of ganglion cells in the rabbit retina: evidence for glutamate as a bipolar cell transmitter. 635

BRAYDEN D.J., CUTHBERT A.W. & LEE C.M. Human eccrine sweat gland epithelial cultures express ductal characteristics. 657

QUAYLE J.M., STANDEN N.B. & STANFIELD P.R. The voltage-dependent block of ATP-sensitive potassium channels of frog skeletal muscle by caesium and barium ions. 677

MIYAMOTO Takenori, OKADA Yukio & SATO Toshihide Ionic basis of receptor potential of frog taste cells induced by acid stimuli. 699

MORIMOTO Akio, MURAKAMI Naotoshi & WATANABE Tatsuo Effect of prostaglandin E_2 on thermoresponsive neurones in the preoptic and ventromedial hypothalamic regions of rats. 713

SCHNEIDER Martin F. & SIMON Bruce J. Inactivation of calcium release from the sarcoplasmic reticulum in frog skeletal muscle. 727

MALMGREN K. & PIERROT-DESEILLIGNY E. Evidence for non-monosynaptic Ia excitation of human wrist flexor motoneurones, possibly via propriospinal neurones. 747

MALMGREN K. & PIERROT-DESEILLIGNY E. Inhibition of neurones transmitting non-monosynaptic Ia excitation to human wrist flexor motoneurones. 765

JARAMILLO Fernán & SCHUETZE Stephen M. Erratum: Journal of Physiology **396** (1988) 785

EGAN T.M., NOBLE D., NOBLE S.J., POWELL T., TWIST V.W. & YAMAOKA K. Erratum: Journal of Physiology **400** (1988) 785

FINK George, ROBINSON Iain C.A.F. & TANNAHILL Lesley A. Erratum: Journal of Physiology **401** (1988) 785